

REQUEST FOR BIDS

**Debit Card Ready
Commercial Laundry Equipment**

Bids Due: July 29, 2026 by 10:00 AM

Secaucus Housing Authority
700 County Avenue
Secaucus, New Jersey 07094
201 867-2957

REQUEST FOR BIDS

The Secaucus Housing Authority in New Jersey will accept bids for laundry equipment and electronic payment systems at 3 locations. It is the Housing Authority's desire to purchase new laundry equipment installed in three separate locations. All equipment and services must be in accordance with the existing laws, rules, orders, directives and regulations governing this equipment and installation.

The services that are requested will be as follows and will encompass all of the Housing Authority's properties:

1) Purchase the following equipment or equal (specifications attached)

- a) Encore Pro Front Load Washers - 22 pound capacity (Quantity 12)
- b) Encore Pro Front Load gas dryer - 22 pound capacity (Quantity 12)
- c) ESD Electronic Payment System-Value Adder Plus. Front Access (11-117-007) (Quantity 3). The machine will be installed at the individual locations (3).

2) The equipment must be delivered and installed at the following locations:

- a) Elms. 777-5th Street, Secaucus, NJ (4 Washers, 4 Dryers & 1 Value Adder Plus)
- b) R. Impreveduto Towers, 600 County Avenue, Secaucus, NJ (4 Washers, 4 Dryers & 1 Value Adder Plus)
- c) Kroll Heights, 700 County Avenue, Secaucus, NJ (4 Washers, 4 Dryers & 1 Value Adder Plus).

3) All existing laundry equipment must be removed by the vendor and removed from the site.

4) The washers & dryers must be uncrated and placed into position in the laundry rooms. All connections shall be the responsibility of the vendor. The vendor must supply all hoses, gas lines and other items necessary to make the machines fully functioning.

5) The vender shall supply all washer hoses, dryer gas lines and vent lines with the equipment. The physical equipment

connections shall be made by the vendor.

6) All equipment must be debit card ready. It should also include 375 debit cards and all equipment necessary to process the cards.

Qualifications:

- 1) Should be in the laundry equipment business for a minimum of three years.
- 2) Must be approvable by the U.S. Department of Housing and Urban Development to provide these services.

Bid Submission:

All vendors interested in submitting a bid for the Housing Authority's laundry equipment should submit an itemized price with a lump sum. The bid must contain an itemization for each equipment model. It must also contain the following:

- 1) Completed bid forms (attached).
- 2) Copy of the vendor's insurance certificate.
- 3) Copy of New Jersey Business Registration form.
- 4) Equipment Specification Sheet
- 5) Statement of Ownership Form
- 6) Bid Form
- 7) Affirmative Action Form

Bids should be delivered to the Housing Authority of the Town of Secaucus, 700 County Avenue, Secaucus, New Jersey on or before July 29, 2026 by 10:00 AM. All bids should be sealed and labeled- "Bid for Laundry Equipment." The bids will be opened publicly and read at 10:00 AM.

The Housing Authority reserves the right to reject any and all bids received for these services. It also reserves the right to terminate the vendor, for convenience, at any time during the term of the contract. The Authority may also choose to divide the equipment if it is determined that it results in cost savings to the Housing Authority.

This solicitation is being made as "Fair and Open" in accordance with N.J.S.A. 40A:19A-20.4 et seq.

JONATHAN MOORE
Executive Director

BID CHECKLIST

- _____ Bid Form (including Price)
- _____ Copy of Vendor's Insurance Certificate
- _____ Copy of New Jersey Business Registration Form
- _____ Equipment Specification Sheet
- _____ Statement of Ownership Form
- _____ Affirmative Action Form

Please check off each item that is being submitted with the proposal and include this sheet with the proposal. Failure to include these items with the bid may result in rejection of the bid.

Signature

Date:

BID FOR LAUNDRY EQUIPMENT
Secaucus Housing Authority
700 County Avenue
Secaucus, New Jersey 07094
(201) 867-2957

Submitted by:

Company Name: _____

Address: _____

Telephone Number: _____

Contact Person: _____

- a) Encore Pro Front Load Washers-22 pound capacity (Quantity 12)
b) Encore Pro Front Load gas dryer-22 pound capacity
(Quantity 12)

Price per Unit: _____

- c) ESD Electronic Payment System-Value Adder Plus. Front
Access (11-117-007) (Quantity 3)

Price per Unit: _____

Installation Cost per location

Elms: \$ _____

Kroll Heights: \$ _____

R. Impreveduto Towers: \$ _____

Other Costs: \$ _____

TOTAL PRICE FOR ALL EQUIPMENT AND OTHER COSTS: \$ _____

Anticipated delivery date:

*Price Includes all work outlined in the attached Request for
Proposals.

Date: _____

Contractor's Signature

AGREEMENT FOR LAUNDRY EQUIPMENT

THIS AGREEMENT made on _____, 2026, by and between _____, New Jersey (the "Contractor") and the Housing Authority of the Town of Secaucus, 700 County Avenue, Secaucus, New Jersey (the "Authority").

WITNESSETH, that the contractor and the Authority for the consideration stated herein agrees as follows:

ARTICLE 1. - Statement of Work

The contractor shall furnish all labor, materials, supplies, tools, products and other items as specified in the attached Request for Bids relating to laundry equipment


ARTICLE 2. - Term: Until Complete

ARTICLE 3. - Contract Price:

IN WITNESS WHEREOF, the parties hereto have caused this instrument to be executed the date and year first written above.

JONATHAN MOORE-SHA Executive Director
Date:

Date:



Loaded with powerful features

Built with professional-grade components to outlast the competition.

SMART DESIGN FOR A BETTER EXPERIENCE


- Extra Large Capacity for Families and Bulky Items
- Superior Cleaning Performance
- 4 Cycle Options: Cold, Warm, Hot, and Delicate
- Separate Controls for Heavy Soil and Extra Rinse
- Quicker Drying Time Due to a Fast 300G Spin

SIGNATURE FEATURES

- 3.5 cu. ft. Capacity
- 300 G-force Extraction
- 15,000+ wash cycles
- AC Motor (no brushes)
- Solid Steel Counterweights
- Easy Soft-Mount Installation
- Easy Access Repair Panel
- Quiet Operation
- 4 Wash Cycles
- Add Revenue with Heavy Soil and Extra Rinse Options
- Save up to 60% on Water
- Coin and Card Compatibility
- 3-Year Parts Warranty

RATING

- ENERGY STAR® Certified
- ADA Compliant *
- CSA Certified
- Proposition 65 Compliant
- CEC Compliant
- NRCAN Registered




8-POINT SUSPENSION

Robust suspension features advanced technology to keep loads in balance, eliminate oversuds, and finish the cycle.



HEAVY-DUTY SKF BEARINGS

Commercial-grade bearings with 3 seals and 5 lips to protect and provide a water-tight barrier around the driveshaft.



TIME-OF-DAY PROMO PRICING

Easily programmable for multiple promotional events or happy hour pricing using the built-in real-time clock.

SPECIFICATIONS


Models	WHLFP715C2FMI (coin) WHLFP715C2DC (card) WHLFP715C2OPL (OPL)
Capacity – lb (kg)	22 lb (10 kg)
Cylinder Volume – cu. ft. (liters)	3.5 cu. ft. (98 l)
Wash Cycles & Options	Cold, Warm, Hot, Delicate, Heavy Soil, Extra Rinse
Motor	Variable-speed, reversible, thermoprotected, high- efficiency, controlled induction
Electrical Rating – v/Hz/Ph	120 V/60 Hz/1-phase
Breaker Requirements – Amps	15 A
Wash Speed – RPM	45 RPM (1050 RPM max)
Maximum G-Force	300 G
Inlet Hose – in	2x 3/8 in (hoses included)
Water Pressure – Psi (kPa)	10–90 psi (70–600 kPa)
Drain Hose – in (mm)	1 in (25.4 mm)
Crated Weight – lb (kg)	314 lb (142 kg)
Uncrated Weight – lb (kg)	299 lb (136 kg)

Actual color may vary. Dimensions are for planning purposes only.

Refer installation and servicing to qualified, licensed personnel. Always read Installation and Operating Manuals and consult local codes before installation. Protect machines with properly rated circuit breakers ONLY. Warranty void if not properly installed.

Because of continuous product improvement, specifications are subject to change without notice. Laundrylux assumes no responsibility for errors or omissions in this information.

* ADA compliant when mounted on the floor or on a base up to 6 inches high.



EQUIPMENT DIMENSIONS

A. Overall Height – in (mm)	43 1/4 in (1098 mm)
B. Height to Center of Door – in (mm)	23 in (584 mm)
C. Height to Bottom of Door – in (mm)	12 3/16 in (310 mm)
D. Overall Width – in (mm)	27 in (686 mm)
E. Overall Depth – in (mm)	30 1/8 in (765 mm)
F. Depth w/ Door Open 90° – in (mm)	51 3/16 in (1300 mm)

COMPLIMENTARY PRODUCTS

6" Washer Base (optional)

096792

Gas Dryer

DLHF0315GC2 (coin)
DLHF0315GC2DC (card)
DLHF0315GC2OPL (OPL)

Electric Dryer

DLHF0315EC2 (coin)
DLHF0315EC2DC (card)
DLHF0315EC2OPL (OPL)

Loaded with powerful features

Strength, durability, and performance are at the core of this small chassis dryer.

SMART DESIGN FOR A BETTER EXPERIENCE

- Extra Large Capacity for Families and Bulky Items
- Extra Large Door for Easy Loading
- 4 Dry Options: High, Medium, Low, and No Heat
- Fast Dry Times


Built with professional-grade components and technology for superior energy efficiency, reliability, and results.

SIGNATURE FEATURES

- Extra Large 22 lb Capacity
- 7.7 cu. ft. Drum
- Drum Supported by 5 Roller Bearings for Long Life
- Easy to Clean, Heavy-Duty Lint Screen
- Space-Saving Design
- Easy to Install
- Stacking Kit Available
- Available in Gas and Electric
- Coin and Card Compatibility
- 3-Year Parts Warranty

RATING

- ADA Compliant *
- CSA Certified
- Proposition 65 Compliant




AXIAL AIRFLOW

Highly efficient axial airflow system and tight construction result in extremely low energy usage and faster dry times.



ROLLER SUPPORTED TUMBLER

Innovative support rollers improve drum stability, ensure quiet operation, and extend the life of the machine.



TIME-OF-DAY PROMO PRICING

Easily programmable for multiple promotional events or happy hour pricing using the built-in real-time clock.

SPECIFICATIONS


Gas Dryer	DLHF0315GC2 (coin) DLHF0315GC2DC (card) DLHF0315GC2OPL (OPL)
Electric Dryer	DLHF0315EC2 (coin) DLHF0315EC2DC (card) DLHF0315EC2OPL (OPL)
Capacity – lb (kg)	22 lb (10 kg)
Cylinder Volume – cu. ft. (liters)	7.7 cu. ft. (218 l)
Dry Options	High, Medium, Low, No Heat
Motor	1/3 HP
Electrical Rating – v/Hz/Ph	120 V/60 Hz/1-phase (gas models) 208-240V/60 Hz/1-phase (electric models)
Breaker Requirements – Amps	15 A (gas heat models) 30 A (electric heat models)
Airflow	192 CFM
Gas Heating	19,000 BTU/hr
Electric Heating	5.0 kW
Gas Connection	3/8 in MNPT
Tumbling Speed	50 RPM
Exhaust Connection	4 in (diameter)
Crated Weight – lb (kg)	173 lb (78.5 kg)
Uncrated Weight – lb (kg)	158 lb (71.7 kg)

Actual color may vary. Dimensions are for planning purposes only.

Refer installation and servicing to qualified, licensed personnel. Always read Installation and Operating Manuals and consult local codes before installation. Protect machines with properly rated circuit breakers ONLY. Warranty void if not properly installed.

Because of continuous product improvement, specifications are subject to change without notice. Laundrylux assumes no responsibility for errors or omissions in this information.

* ADA compliant when mounted on the floor or on a base up to 6 inches high.



EQUIPMENT DIMENSIONS

A. Overall Height – in (mm)	42 ½ in (1080 mm)
B. Height to Center of Door – in (mm)	23 in (584 mm)
C. Height to Bottom of Door – in (mm)	12 in (305 mm)
D. Overall Width – in (mm)	27 in (686 mm)
E. Overall Depth – in (mm)	29 in (737 mm)
F. Depth w/ Door Open 90° – in (mm)	51 ½ in (1308 mm)

COMPLIMENTARY PRODUCTS

6" Dryer Base (optional)

096511

Front Load Washer

WHLFP715C2FMI (coin)
WHLFP715C2DC (card)
WHLFP715C2OPL (OPL)

Top Load Washer

WMTW4371C2FMI (coin)
WMTW4371C2DC (card)
WMTW4371C2OPL (OPL)